

# DRAFT COPY PROPOSED BBR PAGES TO BE USED IN PLACE OF LINE SHARE LSR JOB AID VERSION 7 8/15/00

## 3.9 Unbundled (CO Based) Line Share

UNE CO Based Line Share is a UNE offering intended to allow DLEC/CLECs access to the upper spectrum or the high frequency portion of a 2-wire copper loop for xDSL services, a.k.a. data. BellSouth will continue to be the provider of the lower spectrum or low frequency portion of the loop for analog services, a.k.a. voice.

Line Share is a UNE offering that enables the DLEC/CLEC to provide xDSL-based services for the end user customer over the same copper loop that BellSouth provides the end user's voice service.

### 3.9.1 Ordering Forms

The following chart illustrates the required, conditional and optional forms for ordering this service. Detailed information will follow to assist you in filling out each of these forms.

#### Forms

REQTYP/ SERVICE TYPE	SI	LSR	Hunting	EU	DL	DSCR	RS	DRS	PS	NP	LS	LSNP
Line Share	R	R		R							R	

R = Required C = Conditional O= Optional

### Completing the LSR and EU Forms/Screens

The Required, Conditional, and Optional (RCO) fields on the LSR and EU forms will be given for every valid REQ TYP/ACT combination in the **REQ TYP / ACT Combination** Section.

The following chart shows all of the valid account level activities for this requisition type.

ACTIVITY TYPE (ACCOUNT LEVEL)													
REQ TYP	N	C	D	T	R	V	S	B	W	L	Y	P	Q
Line Share	X	X	X			X						X	X

Note: "X" denotes valid account level activities. A blank entry indicates a non-valid account level activity.

# DRAFT COPY PROPOSED BBR PAGES TO BE USED IN PLACE OF LINE SHARE LSR JOB AID VERSION 7 8/15/00

**Account level activities (ACT)** apply to the entire account. The ACTs are defined below:

- N** = New installation and/or account (manual)
- C** = New installation and/or account (electronic)
- C** = Change an existing account (e.g., Rearrangement, Partial disconnect or addition)
- D** = Disconnection
- T** = Outside move of end user location
- R** = Record activity is for ordering administrative changes
- V** = Full Conversion of service **as specified** to new Local Service Provider (LSP)
- S** = Seasonal suspend or restore denied account
- B** = Restore **full** account or restore denied account
- W** = Full Conversion of service **as is**
- L** = Seasonal suspension **full** account
- Y** = Deny (non-payment)
- P** = Conversion of service **as specified**: Partial Migration – Initial
- Q** = Conversion of service **as specified**: Partial Migration – Subsequent

## Completing the LS Form

The Loop Service (LS) form may be required or invalid depending on the account level activity. Each account level activity has valid Line Level Activities (LNAs). These LNAs determine how, or if, the LS form should be populated.

**Line level activities (LNA)** apply to the specified line only. The LNAs are defined below:

- N** = New installation (e.g., new line or additional line)
- C** = Change or Modification to an Existing Line
- D** = Disconnection
- X** = Telephone Number Change
- V** = Conversion or Migration to new LSP **as specified**
- W** = Conversion or Migration **as is**
- P** = Pic change
- L** = Seasonal Change
- B** = Restore

# DRAFT COPY PROPOSED BBR PAGES TO BE USED IN PLACE OF LINE SHARE LSR JOB AID VERSION 7 8/15/00

The following chart gives the valid LNAs for each account level activity (ACT) and the associated LS (or LSNP) form usage.

If ACT is:	Then LNA is	And LS form is:
N	N	Required
C	C, D, N	Required
D	D	Required
V	D, N, V	Required
P	D, N, V	Required
Q	D, N, V	Required

The RCO fields for the Loop Service (LS) form are listed according to the Line Level Activity (LNA) in the **LNA Tables** Section.

## 3.9.2 REQ TYP / ACT Combinations

The following charts show the Required, Conditional and Optional (RCO) fields on the LSR and EU forms for the valid REQ TYP / ACT combinations. LSR and EU forms for a valid REQ TYP/ACT combination are paired together. All unmentioned fields are either invalid, not applicable or prohibited. Populating any other fields may result in a fatal reject or a clarification of the service request.

Please note the following codes:

- Mandatory entries are indicated by quotation marks (“xxx”).
- Optional fields marked with an asterisk (\*) force at least one of the conditional fields to become required when populated.
- Fields used only for manual orders are followed by (m).
- Fields used only for electronic orders are followed by (e).

Please see the **Data Element Dictionary** Section for additional information on each of the fields listed below.

## REQ TYP / ACT Combinations

DRAFT COPY PROPOSED BBR PAGES TO BE USED IN  
PLACE OF LINE SHARE LSR JOB AID VERSION 7 8/15/00

**REQTYP A / ACT N**

<b>LSR (LINE SHARE) – REQ TYP A / ACT N (manual only)</b>		
<b>Required</b>	<b>Conditional</b>	<b>Optional</b>
<b>CCNA(m)</b>	<b>VER(m)</b>	<b>PROJECT(m)</b>
<b>PON(m)</b>	<b>SUP(m)</b>	<b>EXP(m)</b>
<b>AN(m)</b>	<b>CUST(m)</b>	<b>RPON(m)</b>
<b>PG_OF_(m)</b>		<b>RORD(m)</b>
<b>SC = "LCSC" (m)</b>		<b>IMPCON-PAGER(m)</b>
<b>D/SENT(m)</b>		<b>ALTIMPCON(m)</b>
<b>DDD(m)</b>		<b>ALTIMPCON-TEL NO. (m)</b>
<b>REQTYP = "AB" (m)</b>		<b>REMARKS (m)</b>
<b>ACT = "N" (m)</b>		
<b>CC(m)</b>		
<b>ACTL(m)</b>		
<b>LSO(m)</b>		
<b>TOS = "R" in 2<sup>nd</sup> character(m)</b>		
<b>NC = "SWXX"(m)</b>		
<b>NCI = "02QB5.005"(m)</b>		
<b>SECNCI = "02DU5.005"(m)</b>		
<b>CIC(m)</b>		
<b>BAN1(m)</b>		
<b>ACNA(m)</b>		
<b>INIT(m)</b>		
<b>INIT-TEL NO. (m)</b>		
<b>INIT-FAX NO. (m)</b>		
<b>IMPCOM(m)</b>		
<b>IMPCON-TEL NO. (m)</b>		

" " = mandatory entry; \* = when this optional field is populated, it forces at least one of the conditional fields to become REQUIRED; (m) = for manual ordering only; (e) = electronic ordering only

<b>EU (LINE SHARE) – REQ TYP A / ACT N</b>		
<b>Required</b>	<b>Conditional</b>	<b>Optional</b>
<b>PON (m)</b>		<b>LCON-NAME(m)</b>
<b>AN (m)</b>		<b>LCON-TEL. NO. (m)</b>
<b>PG_OF_(m)</b>		
<b>EU-NAME(m)</b>		

DRAFT COPY PROPOSED BBR PAGES TO BE USED IN  
PLACE OF LINE SHARE LSR JOB AID VERSION 7 8/15/00

**REQTYP A / ACT C**

<b>LSR (LINE SHARE) – REQTYP A / ACT C (New Install) electronic only</b>		
<b>Required</b>	<b>Conditional</b>	<b>Optional</b>
<b>CCNA(e)</b>	<b>VER (e)</b>	<b>PROJECT(e)</b>
<b>PON(e)</b>	<b>SUP (e)</b>	<b>EXP(e)</b>
<b>AN(e)</b>	<b>CUST (e)</b>	<b>RPON(e)</b>
<b>SC = "LCSC"(e)</b>		<b>IMPCON-PAGER(e)</b>
<b>D/SENT(e)</b>		<b>ALTIMPCON(e)</b>
<b>DDD(e)</b>		<b>ALTIMPCON-TEL NO. (e)</b>
<b>REQTYP = "AB"(e)</b>		
<b>ACT = "C"(e)</b>		
<b>CC(e)</b>		
<b>ACTL(e)</b>		
<b>LSO(e)</b>		
<b>TOS = "R" in 2<sup>nd</sup> character(e)</b>		
<b>NC = "SWXX"(e)</b>		
<b>NCI = "02QB5.005"(e)</b>		
<b>SECNCI = "02DU5.005"(e)</b>		
<b>CIC(e)</b>		
<b>BAN1(e)</b>		
<b>ACNA(e)</b>		
<b>INIT(e)</b>		
<b>INIT-TEL NO.(e)</b>		
<b>INIT-FAX NO.(e)</b>		
<b>IMPCOM(e)</b>		
<b>IMPCON-TEL NO.(e)</b>		
<b>RESID (e)</b>		

" " = mandatory entry; \* = when this optional field is populated, it forces at least one of the conditional fields to become REQUIRED; (m) = for manual ordering only; (e) = electronic ordering only

<b>EU (LINE SHARE) – REQTYP A / ACT C (New Install) electronic only</b>		
<b>Required</b>	<b>Conditional</b>	<b>Optional</b>
<b>PON (e)</b>		<b>LCON-NAME(e)</b>
<b>AN (e)</b>		<b>LCON-TEL. NO.(e)</b>
<b>EU-NAME(e)</b>		

" " = mandatory entry; \* = when this optional field is populated, it forces at least one of the conditional fields to become REQUIRED; (m) = for manual ordering only; (e) = electronic ordering only

DRAFT COPY PROPOSED BBR PAGES TO BE USED IN  
PLACE OF LINE SHARE LSR JOB AID VERSION 7 8/15/00

**REQTYP A / ACT C**

<b>LSR (LINE SHARE) – REQ TYP A / ACT C (Change Activity)</b>		
<b>Required</b>	<b>Conditional</b>	<b>Optional</b>
<b>CCNA</b>	<b>VER</b>	<b>PROJECT</b>
<b>PON</b>	<b>SUP</b>	<b>EXP</b>
<b>AN</b>	<b>CUST</b>	<b>RPON</b>
<b>PG_OF_(m)</b>		<b>IMPCON-PAGER</b>
<b>SC = "LCSC"</b>		<b>ALTIMPCON</b>
<b>D/SENT</b>		<b>ALTIMPCON-TEL NO.</b>
<b>DDD</b>		<b>REMARKS(m)</b>
<b>REQTYP = "AB"</b>		
<b>ACT = "C"</b>		
<b>CC</b>		
<b>ACTL</b>		
<b>LSO</b>		
<b>TOS = "R" in 2<sup>nd</sup> character</b>		
<b>NC = "SWXX"</b>		
<b>NCI = "02QB5.005"</b>		
<b>SECNCI = "02DU5.005"</b>		
<b>CIC</b>		
<b>BAN1</b>		
<b>ACNA</b>		
<b>INIT</b>		
<b>INIT-TEL NO.</b>		
<b>INIT-FAX NO.</b>		
<b>IMPCOM</b>		
<b>IMPCON-TEL NO.</b>		

" " = mandatory entry; \* = when this optional field is populated, it forces at least one of the conditional fields to become REQUIRED; (m) = for manual ordering only; (e) = electronic ordering only

<b>EU (LINE SHARE) – REQ TYP A / ACT C (Change Activity)</b>		
<b>Required</b>	<b>Conditional</b>	<b>Optional</b>
<b>PON</b>	<b>VER(m)</b>	<b>LCON-NAME</b>
<b>AN</b>		<b>LCON-TEL. NO</b>
<b>EU-NAME</b>		

" " = mandatory entry; \* = when this optional field is populated, it forces at least one of the conditional fields to become REQUIRED; (m) = for manual ordering only; (e) = electronic ordering only

DRAFT COPY PROPOSED BBR PAGES TO BE USED IN  
PLACE OF LINE SHARE LSR JOB AID VERSION 7 8/15/00

<b>LSR (LINE SHARE) – REQ TYP A / ACT D (manual only)</b>		
<b>Required</b>	<b>Conditional</b>	<b>Optional</b>
<b>CCNA (m)</b>	<b>VER (m)</b>	<b>PROJECT (m)</b>
<b>PON (m)</b>	<b>SUP (m)</b>	<b>RPON (m)</b>
<b>AN (m)</b>	<b>CUST (m)</b>	<b>IMPCON-PAGER (m)</b>
<b>PG_OF_(m)</b>		
<b>SC = “LCSC” (m)</b>		
<b>D/SENT (m)</b>		
<b>DDD (m)</b>		
<b>REQ TYP = “AB” (m)</b>		
<b>ACT = “D” (m)</b>		
<b>CC (m)</b>		
<b>ACTL (m)</b>		
<b>LSO (m)</b>		
<b>TOS = “R” in 2<sup>nd</sup> character (m)</b>		
<b>NC = “SWXX” (m)</b>		
<b>CIC (m)</b>		
<b>BANI (m)</b>		
<b>ACNA (m)</b>		
<b>INIT (m)</b>		
<b>INIT - TEL NO. (m)</b>		
<b>INIT – FAX NO. (m)</b>		
<b>IMPCON (m)</b>		
<b>IMPCON - TEL NO. (m)</b>		

“ ” = mandatory entry; \* = when this optional field is populated, it forces at least one of the conditional fields to become REQUIRED; (m) = for manual ordering only; (e) = electronic ordering only

<b>EU (LINE SHARE) – REQ TYP A / ACT D (manual only)</b>		
<b>Required</b>	<b>Conditional</b>	<b>Optional</b>
<b>PON (m)</b>	<b>VER (m)</b>	
<b>AN (m)</b>		
<b>PG_OF_(m)</b>		
<b>EU – NAME (m)</b>		

“ ” = mandatory entry; \* = when this optional field is populated, it forces at least one of the conditional fields to become REQUIRED; (m) = for manual ordering only; (e) = electronic ordering only

DRAFT COPY PROPOSED BBR PAGES TO BE USED IN  
PLACE OF LINE SHARE LSR JOB AID VERSION 7 8/15/00

<b>LSR (LINE SHARE) – REQ TYP A / ACT P</b>		
<b>Required</b>	<b>Conditional</b>	<b>Optional</b>
<b>CCNA</b>	<b>VER</b>	<b>PROJECT</b>
<b>PON</b>	<b>SUP</b>	<b>EXP</b>
<b>AN</b>	<b>CUST</b>	<b>RPON</b>
<b>PG_OF_(m)</b>		<b>RORD (m)</b>
<b>SC = "LCSC"</b>		<b>IMPCON-PAGER</b>
<b>D/SENT</b>		<b>ALTIMPCON</b>
<b>DDD</b>		<b>ALTIMPCON-TEL NO. (m)</b>
<b>REQ TYP = "AB"</b>		<b>REMARKS (m)</b>
<b>ACT = "P"</b>		
<b>CC</b>		
<b>ACTL</b>		
<b>LSO</b>		
<b>TOS = "R" in 2<sup>nd</sup> character</b>		
<b>NC = "SWXX"</b>		
<b>NCI = "02QB5.005"</b>		
<b>SECNCI = "02DU5.005"</b>		
<b>BAN1</b>		
<b>CIC</b>		
<b>ACNA</b>		
<b>INIT</b>		
<b>INIT-TEL NO.</b>		
<b>INIT-FAX NO.</b>		
<b>IMPCON</b>		
<b>IMPCON-TEL NO.</b>		
<b>RESID (e)</b>		

" " = mandatory entry; \* = when this optional field is populated, it forces at least one of the conditional fields to become REQUIRED; (m) = for manual ordering only; (e) = electronic ordering only

<b>EU (LINE SHARE) – REQ TYP A / ACT P</b>		
<b>Required</b>	<b>Conditional</b>	<b>Optional</b>
<b>PON (m)</b>	<b>VER (m)</b>	<b>LCON-NAME</b>
<b>AN (m)</b>		<b>LCON-TEL NO.</b>
<b>PG_OF_(m)</b>		
<b>EU – NAME</b>		

October 6, 2000

Version 3

Page 8 of 18



# DRAFT COPY PROPOSED BBR PAGES TO BE USED IN PLACE OF LINE SHARE LSR JOB AID VERSION 7 8/15/00

"" = mandatory entry; \* = when this optional field is populated, it forces at least one of the conditional fields to become REQUIRED; (m) = for manual ordering only; (e) = electronic ordering only

<b>LSR (LINE SHARE) – REQ TYP A / ACT Q</b>		
<b>Required</b>	<b>Conditional</b>	<b>Optional</b>
<b>CCNA</b>	<b>VER</b>	<b>PROJECT</b>
<b>PON</b>	<b>SUP</b>	<b>EXP</b>
<b>AN</b>	<b>CUST</b>	<b>RPON</b>
<b>PG_OF_(m)</b>		<b>RORD (m)</b>
<b>SC = "LCSC"</b>		<b>IMPCON-PAGER</b>
<b>D/SENT</b>		<b>ALTIMPCON</b>
<b>DDD</b>		<b>ALTIMPCON-TEL NO. (m)</b>
<b>REQ TYP = "AB"</b>		<b>REMARKS (m)</b>
<b>ACT = "Q"</b>		
<b>CC</b>		
<b>ACTL</b>		
<b>LSO</b>		
<b>TOS = "R" in 2<sup>nd</sup> character</b>		
<b>NC = "SWXX"</b>		
<b>NCI = "02QB5.005"</b>		
<b>SECNCI = "02DU5.005"</b>		
<b>BAN1</b>		
<b>CIC</b>		
<b>ACNA</b>		
<b>INIT</b>		
<b>INIT-TEL NO.</b>		
<b>INIT-FAX NO.</b>		
<b>IMPCON</b>		
<b>IMPCON-TEL NO.</b>		
<b>RESID (e)</b>		

"" = mandatory entry; \* = when this optional field is populated, it forces at least one of the conditional fields to become REQUIRED; (m) = for manual ordering only; (e) = electronic ordering only

<b>EU (LINE SHARE) – REQ TYP A / ACT Q</b>		
<b>Required</b>	<b>Conditional</b>	<b>Optional</b>
<b>PON (m)</b>	<b>VER (m)</b>	<b>LCON-NAME</b>
<b>AN (m)</b>		<b>LCON-TEL NO.</b>
<b>PG_OF_(m)</b>		

DRAFT COPY PROPOSED BBR PAGES TO BE USED IN  
PLACE OF LINE SHARE LSR JOB AID VERSION 7 8/15/00

EU – NAME		
-----------	--	--

"" = mandatory entry; \* = when this optional field is populated, it forces at least one of the conditional fields to become REQUIRED; (m) = for manual ordering only; (e) = electronic ordering only

LSR (LINE SHARE) – REQ TYP A / ACT V		
Required	Conditional	Optional
CCNA	VER	PROJECT
PON	SUP	EXP
AN	CUST	RPON
PG_OF_(m)		RORD (m)
SC = "LCSC"		IMPCON-PAGER
D/SENT		ALTIMPCON
DDD		ALTIMPCON-TEL NO. (m)
REQ TYP = "AB"		REMARKS (m)
ACT = "V"		
CC		
ACTL		
LSO		
TOS = "R" in 2 <sup>nd</sup> character		
NC = "SWXX"		
NCI = "02QB5.005"		
SECNCI = "02DU5.005"		
BAN1		
CIC		
ACNA		
INIT		
INIT-TEL NO.		
INIT-FAX NO.		
IMPCON		
IMPCON-TEL NO.		
RESID (e)		

"" = mandatory entry; \* = when this optional field is populated, it forces at least one of the conditional fields to become REQUIRED; (m) = for manual ordering only; (e) = electronic ordering only

EU (LINE SHARE) – REQ TYP A / ACT V		
Required	Conditional	Optional
PON (m)	VER (m)	LCON-NAME
AN (m)		LCON-TEL NO.

**DRAFT COPY PROPOSED BBR PAGES TO BE USED IN  
PLACE OF LINE SHARE LSR JOB AID VERSION 7 8/15/00**

<b>PG_OF_(m)</b>		
<b>EU - NAME</b>		

"" = mandatory entry; \* = when this optional field is populated, it forces at least one of the conditional fields to become REQUIRED; (m) = for manual ordering only; (e) = electronic ordering only

**LNA = N**

**LNA = N - LINE SHARE**

<b>Required</b>	<b>Conditional</b>	<b>Optional</b>
<b>PON (m)</b>	<b>VER (m)</b>	<b>REMARKS (m)</b>
<b>AN (m)</b>		
<b>LQTY</b>		
<b>LNUM</b>		
<b>PG_OF_(m)</b>		
<b>LNA = "N"</b>		
<b>CABLE ID</b>		
<b>CHAN/PAIR = 4 A/N only</b>		
<b>RELAY RACK = 8 A/N</b>		
<b>SHELF = 2 N only</b>		
<b>SLOT = 3 N only (represents slot &amp; line)</b>		
<b>SLTN = NPA-NXX-LINE(e)</b>		
<b>LEAN = "SLTN" (m)</b>		
<b>LEATN (m)</b>		

"" = mandatory entry; \* = when this optional field is populated, it forces at least one of the conditional fields to become REQUIRED; (m) = for manual ordering only; (e) = electronic ordering only

**LNA = C**

<b>LNA = C LINE SHARE</b>
---------------------------

**DRAFT COPY PROPOSED BBR PAGES TO BE USED IN  
PLACE OF LINE SHARE LSR JOB AID VERSION 7 8/15/00**

<b>Required</b>	<b>Conditional</b>	<b>Optional</b>
<b>PON (m)</b>	<b>VER (m)</b>	<b>REMARKS (m)</b>
<b>AN (m)</b>		
<b>LQTY</b>		
<b>PG_OF_ (m)</b>		
<b>LNUM</b>		
<b>LNA = "C"</b>		
<b>CABLE ID</b>		
<b>CHAN/PAIR = 4 A/N only</b>		
<b>ECCKT</b>		
<b>RELAY RACK = 8 A/N</b>		
<b>SHELF = 2 N only</b>		
<b>SLOT = 3 N only (represents slot &amp; line)</b>		
<b>SLTN = NPA-NXX-LINE(e)</b>		
<b>LEAN = "SLTN" (m)</b>		
<b>LEATN (m)</b>		

"" = mandatory entry; \* = when this optional field is populated, it forces at least one of the conditional fields to become REQUIRED; (m) = for manual ordering only; (e) = electronic ordering only

**LNA = D**

**LNA = D - LINE SHARE**

<b>Required</b>	<b>Conditional</b>	<b>Optional</b>
<b>PON (m)</b>	<b>VER (m)</b>	<b>REMARKS (m)</b>
<b>AN (m)</b>		
<b>LQTY</b>		
<b>PG_OF_ (m)</b>		
<b>LNUM</b>		
<b>LNA = D</b>		
<b>ECCKT</b>		
<b>SLTN = NPA-NXX-LINE(e)</b>		
<b>LEAN = "SLTN" (m)</b>		
<b>LEATN (m)</b>		

"" = mandatory entry; \* = when this optional field is populated, it forces at least one of the conditional fields to become REQUIRED; (m) = for manual ordering only; (e) = electronic ordering only

**LNA = V**

**LNA = V - LINE SHARE**

<b>Required</b>	<b>Conditional</b>	<b>Optional</b>
<b>PON (m)</b>	<b>VER (m)</b>	<b>REMARKS (m)</b>

**DRAFT COPY PROPOSED BBR PAGES TO BE USED IN  
PLACE OF LINE SHARE LSR JOB AID VERSION 7 8/15/00**

<b>AN (m)</b>		
<b>LQTY</b>		
<b>LNUM</b>		
<b>PG_OF (m)</b>		
<b>LNA = "V"</b>		
<b>CABLE ID</b>		
<b>CHAN/PAIR = 4 A/N only</b>		
<b>RELAY RACK = 8 A/N</b>		
<b>SHELF = 2 N only</b>		
<b>SLOT = 3 N only (represents slot &amp; line)</b>		
<b>SLTN = NPA-NXX-LINE(e)</b>		
<b>LEAN = "SLTN" (m)</b>		
<b>LEATN (m)</b>		

" " = mandatory entry; \* = when this optional field is populated, it forces at least one of the conditional fields to become REQUIRED; (m) = for manual ordering only; (e) = electronic ordering only

**DRAFT COPY PROPOSED BBR PAGES TO BE USED IN  
PLACE OF LINE SHARE LSR JOB AID VERSION 7 8/15/00  
LEAN, LEATN, and TOS are being updated in the BBR to support Line Sharing.  
See **bolded, underlined** information. SLTN is a new field for electronic ordering of  
Line Share.**

LEAN - Line Existing Account Number

Supports consolidating working telephone numbers that reside in Old  
LSP-Local Service Provider existing account(s) to a single Account Number  
(AN). Supports one end user's multiple accounts of the same service type at one  
end user location.

VALID ENTRIES: None

DATA CHARACTERISTICS:

Manual: 20 alpha/numeric characters *or for Line Share use 4 alpha*

Electronic: 10 or 13 alpha/numeric characters

EXAMPLE:

Manual

201 -M23 -1234

201 -M23 -1234 -678

*SLTN (For Line Share)*

Electronic

201M231234

201M231234678

CONDITIONAL USAGE NOTES:

Note 1: Required when ACT field is V and the LEATN, EAN or EATN fields  
are not populated, otherwise optional.

Note 2: Prohibited when the 1st character of TOS field is not 1 or 2.

Note 3: Prohibited when the 2nd character of TOS field is not A or B.

BUSINESS RULES:

DRAFT COPY PROPOSED BBR PAGES TO BE USED IN  
PLACE OF LINE SHARE LSR JOB AID VERSION 7 8/15/00

**Rule 1: On REQ TYP A Line Share request where TOS 2<sup>nd</sup> Character= R this field is to be populated with SLTN.**

LEATN - Line Existing Account Telephone Number

Supports consolidating working telephone numbers that reside in Old LSP-Local Service Provider existing account(s) to a single Account Telephone Number (ATN). Supports one end user's multiple accounts of the same service type at one end user location

VALID ENTRIES:

Manual: 12 numeric characters (including 2 preprinted hyphens)

Electronic: 10 or 13 alpha/numeric characters

EXAMPLE:

Manual

201 -555 -1234

Electronic

2015551234

2015551234678

CONDITIONAL USAGE NOTES:

Note 1: Required when ACT field is V and the LEAN, EAN or EATN fields are not populated, otherwise optional.

Note 2: Prohibited when the 1st character of TOS field is not 1 or 2.

Note 3: Prohibited when the 2nd character of TOS field is not A or B.

BUSINESS RULES:

**Rule 1: On REQ TYP A Line Share request where TOS 2<sup>nd</sup> Character = R this field is to be populated with the 10 digit telephone number of the voice service that line sharing is to be provisioned on.**

DRAFT COPY PROPOSED BBR PAGES TO BE USED IN  
PLACE OF LINE SHARE LSR JOB AID VERSION 7 8/15/00

28.2.2.41 TOS - Type of Service

Identifies the type of service for the line ordered. The type of service identifies

the end user account as business, residential or government.

**VALID ENTRIES:**

Entry	Description
1st Character (type)	
	1 = Business
	2 = Residence
	3 = Government
	4 = Coin
2nd Character (product)	
	A = Multi-Line
	B = Single Line
	C = Coin
	D = All other complex services
	E = BellSouth® Centrex®, ESSX®, and MultiServ®
	H = ISDN - BRI
	J = PBX Trunk
	- (hyphen) = not applicable
	<b><u>R = Line Share</u></b>
3rd Character(class)	
	M = Measured
	F = Flat Rate
	G = Message
	- (hyphen) = not applicable

**DATA CHARACTERISTICS:** 3 alpha/numeric characters

**EXAMPLE:**

1AM

CONDITIONAL USAGE NOTES: None



DRAFT COPY PROPOSED BBR PAGES TO BE USED IN  
PLACE OF LINE SHARE LSR JOB AID VERSION 7 8/15/00  
BUSINESS RULES:

Rule 1: TOS third character must not be F, if REQ TYP = FB.

Rule 2: If TOS first character is 2, then the second character must be A, B,  
H, J, R  
or - (hyphen).

Rule 3: If TOS first character is 1, 2 or 3, then the second character must not  
be  
a C.

Rule 4: If TOS first character is 4, then the second character must be C.

Rule 5: TOS second character must be a - (hyphen) if REQ TYP = JB.

Rule 6: TOS third character must be - (hyphen) if REQ TYP = BB, CB, or  
JB.

Rule 7: TOS second character must be J when REQ TYP = NB.

Rule 8: If ordering Network Interface Devices, TOS third character must be  
F.

Rule 9: If REQ TYP = P, the 2nd character of the TOS field must be E.

Rule 10: If the 2nd character of the TOS field is E, REQ TYP must equal P.

Rule 11: When the 2nd character of the TOS field is E, the 1st character  
cannot  
be 2 or 4 .

DRAFT COPY PROPOSED BBR PAGES TO BE USED IN  
PLACE OF LINE SHARE LSR JOB AID VERSION 7 8/15/00  
SLTN – Shared Line Telephone Number

Supports working telephone number of voice service in which line sharing service is to be provisioned.

VALID ENTRIES:

Electronic: 10 numeric characters

EXAMPLE:

**Electronic**

2015551234

CONDITIONAL USAGE NOTES: None

BUSINESS RULES:

Rule 1: On REQ TYP A Line Share request where TOS 2<sup>nd</sup> Character = R this field is to be populated with the 10 digit telephone number of the voice service that line sharing is to be provisioned on.

### Mechanized Line Sharing FOC Information

The following information is returned on the Mechanized Line Share FOC:

PON  
SVC ORDER #  
AN  
LSR NO  
REP=LCSC  
REPTTELNO  
DD  
CC  
CCNA  
INIT  
INITTELNO  
RESID  
REMARKS  
STATUS CODE  
STATUS MESSAGE  
CABLE ID  
SHELF  
SLOT  
RELAYRACK  
CHAN/PAIR  
SLTN  
LORD(LOOP ORD)--Same as the service order  
LOCNUMDTL  
LNUM

**Line Sharing Subsequent Order Matrix**  
**Revised for Re-Baseline 10/11/2000**

<b>SVC</b>	<b>DT</b>	<b>FAC</b>	<b>LS</b>	<b>Offer UNE</b>	<b>BellSouth Notification</b>	<b>Collaborative Status</b>
LS	√	√	√	N/A		
Denial	X	√	√	N/A	• Notification not required	Agreement
Suspend	X	√	√	N/A	• Line Sharing remains active	Agreement
Disconnect (Voice EU Relinquishes Loop)	X	X	X	√	• Line share mechanized email notification to DLEC, at order entry, to provide opportunity to purchase the existing loop as a standalone UNE	Agreement
F and T (Move From To) (Voice EU Relinquishes Loop)	X	X	X	√	• Line share mechanized email notification to DLEC, at order entry, to provide opportunity to purchase the existing loop at the original location as a stand alone UNE	Agreement
TN Change	√	√	√	N/A	• Line share mechanized email change of service notification to DLEC, at order entry	Agreement
DLEC LS to BST ADSL (Change of data provider) (Voice EU does not Relinquish Loop)	√	√	√	N/A	• Line share mechanized email loss of service notification to DLEC, at order entry • Facility first right of refusal does not apply because voice line is not being disconnected	Agreement
DLEC to DLEC conversion (Change of data provider only) (Voice EU does not Relinquish Loop)	√	√	√	N/A	• Line share mechanized email loss of service notification to DLEC, at order entry • Facility first right of refusal does not apply because voice line is not being disconnected	Agreement
BST ADSL to DLEC LS (Change of data provider only) (Voice EU does not Relinquish Loop)	√	√	√	N/A	• Line share mechanized email loss of service notification to DLEC, at order entry • Facility first right of refusal does not apply because voice line is not being disconnected	Agreement

**Line Sharing Subsequent Order Matrix**  
**Revised for Re-Baseline 10/11/2000**

SVC	DT	FAC	LS	Offer UNE	BellSouth Notification	Collaborative Status
BST voice to CLEC voice	X	X	X	N/A	<ul style="list-style-type: none"> <li>Line share mechanized email notification to DLEC, at order entry, to advise of loss of BST voice</li> <li>Facility first right of refusal does apply</li> <li>DLEC will be given opportunity to purchase the loop as a stand-a-lone UNE</li> <li>Provisioning is delayed until voice cut-over</li> </ul>	Agreement
Transfer of Contract (Billing name change)	√	√	√	N/A	<ul style="list-style-type: none"> <li>Line share mechanized email change of service notification to DLEC, at order entry</li> </ul>	Agreement
Change request by customer to add a non-compatible service	√	√	√	N/A	<ul style="list-style-type: none"> <li>Edits are in place to flag sales rep of line share incompatibility</li> <li>Order will be refused</li> <li>No notification to DLEC</li> </ul>	Agreement

√ indicates presence

X indicates lack of presence

SVC - Service

DT - Dial tone

FAC - Facility

LS - Line Share

## **CO Line Sharing Training Status**

The primary BellSouth CO training vehicle are the job aids, which are distributed throughout the organization.

On site training has been made available to the state organizations and will be delivered on an as requested basis.

- All the BellSouth states have been provided CO Job Aids for provisioning and maintenance
- All BellSouth states have been advised of the availability of on site training if so requested.
- Job Aid JA370 will be posted on line as of 10/16/2000
- Florida has requested and received on site training for the entire state
- Georgia has requested on site training which is scheduled for completion by 10/24.2000
- Tennessee has requested on site training.
  1. Training in eastern Tennessee is complete.
  2. The training schedule for remainder of Tennessee has yet to be established
- The following states have requested on site training. The training schedule has yet to be established.
  1. Louisiana
  2. Kentucky
  3. North Carolina
  4. South Carolina.

# Line Sharing ETET Test Plan and Summary

10/5/2000

Central Office: Atlanta Toco Hills (ATLNGATH)

Site Contact: John Burns 404-728-7246

Address: 7 Executive Park Drive

Room 227

Atlanta, GA 30329

## ETET Test Line Status:

<u>DLEC</u>	<u>Phone Number</u>	<u>CA/PR</u>	<u>LS Order</u>	<u>DLEC Contact</u>
Covad	404-325-4673	35/1785	C0246RL5	Lans Chase
Covad	404-325-3157	35/1746		
Rhythms	404-325-7209	35/1751	COR4B508	
Northpoint	404-325-5323	35/1768	COGMN283	Greg Pachecko

## Splitter Assignments:

<u>DLEC</u>	<u>Splitter Count</u>
Covad	SPLOVC02023305-01-01-1 through 06-4
Rhythms	SPLAKJ02023305-01-07-1 through 12-4
Northpoint	SPLFIM02023305-01-13-1 through 18-4

# Line Sharing ETET Test Plan and Summary

10/5/2000

**Trouble Number:** 1

**Description:** Introduce trouble in data jumper in CO by lifting jumper at CLEC cable pair

**DLEC Test Line:** \_\_\_\_\_

**Requested by:** BellSouth

**Team Members participating:** Dan Stinson, Eric Brockman, DLEC technical rep

**Planned Start:** \_\_\_\_\_ **Actual Start:** \_\_\_\_\_

## Intended Flow and Timeline:

Flow	Actual Date & Time:
End user reports data trouble to ISP	_____
ISP reports data trouble to DLEC	_____
DLEC reports data trouble to UNE Center	_____
UNE Center creates trouble ticket and dispatches to CO for jumper verification	_____
Trouble found by CO tech	_____
Ticket closed to UNE Center	_____
Trouble closed to DLEC	_____
Trouble closed to ISP/End user	_____

**Fallout Issues:** \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_



# Line Sharing ETET Test Plan and Summary

10/5/2000

**Trouble Number:** 2

**Description:** Introduce trouble in voice jumper in CO by lifting jumper at OE MDF appearance

**DLEC Test Line:** \_\_\_\_\_

**Requested by:** BellSouth

**Team Members participating:** Dan Stinson, Eric Brockman

**Planned Start:** \_\_\_\_\_

**Actual Start:** \_\_\_\_\_

## Intended Flow and Timeline:

Flow	Actual Date & Time:
End user reports voice/data trouble to RRC	_____
RRC issues trouble ticket	_____
RRC runs MLT Test	_____
RRC dispatches to CO for jumper verification	_____
Trouble found by CO tech	_____
Ticket closed to RRC	_____
Trouble closed to End user	_____

**Fallout Issues:** \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

# Line Sharing ETET Test Plan and Summary

10/5/2000

**Trouble Number:** 3

**Description:** Introduce trouble in voice jumper in field by lifting jumper at serving FDI

**DLEC Test Line:** \_\_\_\_\_

**Requested by:** BellSouth

**Team Members participating:** Dan Stinson, Danny Colburn, Eric Brockman

**Planned Start:** \_\_\_\_\_ **Actual Start:** \_\_\_\_\_

## Intended Flow and Timeline:

Flow	Actual Date & Time:
End user reports voice/data trouble to RRC	_____
RRC issues trouble ticket	_____
RRC runs MLT Test	_____
RRC dispatches to CO for jumper verification	_____
No Trouble Found by CO tech	_____
RRC dispatches to field	_____
Trouble found by outside tech	_____
Ticket closed to RRC	_____
Trouble closed to End user	_____

**Fallout Issues:** \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

# Line Sharing ETET Test Plan and Summary

10/5/2000

**Trouble Number:** 4

**Description:** Introduce bad splitter card (voice open) in CO splitter shelf

**DLEC Test Line:** \_\_\_\_\_

**Requested by:** BellSouth, Northpoint

**Team Members participating:** Dan Stinson, Eric Brockman

**Planned Start:** \_\_\_\_\_ **Actual Start:** \_\_\_\_\_

## Intended Flow and Timeline:

Flow	Actual Date & Time:
End user reports voice/data trouble to RRC	_____
RRC issues trouble ticket	_____
RRC runs MLT Test	_____
RRC dispatches to CO for jumper verification	_____
Trouble Found by CO tech (no dial tone narrowed down to splitter)	_____
CO tech replaces splitter card	_____
Ticket closed to RRC	_____
Trouble closed to End user	_____

**Fallout Issues:** \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

# Line Sharing ETET Test Plan and Summary

10/5/2000

**Trouble Number:** 5

**Description:** Introduce bad splitter card (data open) in CO splitter shelf

**DLEC Test Line:** \_\_\_\_\_

**Requested by:** BellSouth, Northpoint

**Team Members participating:** Dan Stinson, Eric Brockman

**Planned Start:** \_\_\_\_\_

**Actual Start:** \_\_\_\_\_

## Intended Flow and Timeline:

Flow	Actual Date & Time:
End user reports data trouble to ISP	_____
ISP reports data trouble to DLEC	_____
DLEC reports data trouble to UNE Center	_____
UNE Center creates trouble ticket and dispatches to CO for jumper verification	_____
No trouble found by CO tech	_____
Co refers to UNE Center	_____
DLEC advised of NTF; offered options of closing ticket or trouble-shooting splitter	_____
DLEC requests card change	_____
Trouble clears	_____
Trouble closed to DLEC	_____
Trouble closed to ISP/End user	_____

**Fallout Issues:** \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

# Line Sharing ETET Test Plan and Summary

10/5/2000

**Trouble Number:** 6

**Description:** Introduce CPE data trouble at 7 Exec by unplugging loop from modem

**DLEC Test Line:** \_\_\_\_\_

**Requested by:** BellSouth. Northpoint

**Team Members participating:** Dan Stinson, Eric Brockman, John Burns, DLEC technical rep

**Planned Start:** \_\_\_\_\_ **Actual Start:** \_\_\_\_\_

## Intended Flow and Timeline:

Flow	Actual Date & Time:
End user reports data trouble to ISP	_____
ISP reports data trouble to DLEC	_____
Trouble resolved over phone w/customer?	_____
If Yes, Close.	
If No, continue below.	
DLEC reports data trouble to UNE Center	_____
UNE Center creates trouble ticket and	_____
dispatches to CO for jumper verification	_____
No trouble found by CO tech	_____
Co refers to UNE Center	_____
DLEC advised of NTF; offered options	_____
of closing ticket or trouble-shooting	_____
splitter	_____
DLEC requests card change	_____
Trouble does not clear	_____
UNE Center dispatches outside	_____
No trouble found by Outside tech	_____
IW or jack trouble	_____
I&M tech fixes trouble	_____
Trouble closed to DLEC and bill	_____
Trouble closed to ISP/End user	_____

**Fallout Issues:** \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

# Line Sharing ETET Test Plan and Summary

10/5/2000

**Trouble Number:** 7

**Description:** Perform parametric testing on Line Sharing pairs

**DLEC Test Line:** \_\_\_\_\_

**Requested by:** BellSouth (H B Greer), Northpoint

**Team Members participating:** HB Greer, Eric Brockman

**Planned Start:** \_\_\_\_\_ **Actual Start:** \_\_\_\_\_

## Intended Flow and Timeline:

### Flow

### Actual Date & Time:

Quantify performance of lines;  
characterization of loop pairs to be  
performed with Yokogawa LX-100  
test set

\_\_\_\_\_

**Fallout Issues:** \_\_\_\_\_

\_\_\_\_\_  
\_\_\_\_\_

# Line Sharing ETET Test Plan and Summary

10/5/2000

## Known Issues:

Very difficult to create data trouble outside

Troubles will have to be closely coordinated with service order tests due to trouble ticket creation.